

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € | | |
|--------------------|------------|---------|----------|------------------|--------------------------|----------------------------|--------------------------|--------------------------|----|
| CD1a | HI149 | IgG1 | purified | FCM, IF,IHC | 100 µg | 21270011 | 99 | | |
| | | | FITC | FCM | 500 µl | 21270013 | 99 | | |
| | | | PE | FCM | 500 µl | 21270014 | 99 | | |
| | | | APC | FCM | 500 µl | 21270016 | 99 | | |
| | WM-35 | IgG2b | FITC | FCM, IF | 500 µl | 21330013 | 99 | | |
| | | | PE | FCM, IF | 500 µl | 21330014 | 99 | | |
| | CD2 | MEM-65 | IgG1 | purified | FCM, IP | 100 µg | 21270021 | 99 | |
| | | | | Biotin | FCM | 50 µg | 21270022 | 99 | |
| PE | | | | FCM | 500 µl | 21270024 | 99 | | |
| Dy647 | | | | FCM | 500 µl | 21270028 | 99 | | |
| 6G4 | | IgG1 | FITC | FCM, IF | 500 µl | 21330023 | 99 | | |
| | | | LT2 | IgG2a | purified | FCM, IP | 100 µg | 21380021 | 99 |
| | | | | | FITC | FCM | 500 µl | 21380023 | 99 |
| | | | | | PE | FCM | 500 µl | 21380024 | 99 |
| APC | FCM | 500 µl | | | 21380026 | 99 | | | |
| CD3 | MEM-57 | IgG2a | purified | func.application | 100 µg | 21270030 | 99 | | |
| | | | purified | FCM, IP | 100 µg | 21270031 | 99 | | |
| | | | Biotin | FCM, IP | 50 µg | 21270032 | 99 | | |
| | | | FITC | FCM | 500 µl | 21270033 | 99 | | |
| | | | PE | FCM | 500 µl | 21270034 | 99 | | |
| | | | APC | FCM | 500 µl | 21270036 | 99 | | |
| | | | PE/Dy647 | FCM | 500 µl | 21270037 | 99 | | |
| | | | Dy647 | FCM | 500 µl | 21270038 | 99 | | |
| CD3 | UCHT-1 | IgG1 | purified | func.application | 100 µg | 21620030 | 99 | | |
| | | | purified | FCM, IP, IHC | 100 µg | 21620031 | 99 | | |
| | | | FITC | FCM, | 500 µl | 21620033 | 99 | | |
| | | | PE | FCM | 500 µl | 21620034 | 99 | | |
| | | | PerCP | FCM | 500 µl | 21620035 | 99 | | |
| | | | APC | FCM | 500 µl | 21620036 | 99 | | |
| C3/C3b/iC3b | 6C9 | IgG1 | FITC | FCM | 500 µl | 21158033 | 99 | | |
| | 10C7 | IgG1 | FITC | FCM | 500 µl | 21157033 | 99 | | |
| CD4 | MEM-115 | IgG2a | purified | func.application | 100 µg | 21279040 | 99 | | |
| | | | purified | FCM, IP | 100 µg | 21279041 | 99 | | |
| | MEM-241 | IgG1 | purified | func.application | 100 µg | 21270040 | 99 | | |
| | | | purified | FCM, WB | 100 µg | 21270041 | 99 | | |
| | | | Biotin | FCM, WB | 50 µg | 21270042 | 99 | | |
| | | | FITC | FCM | 500 µl | 21270043 | 99 | | |
| | | | PE | FCM | 500 µl | 21270044 | 99 | | |
| | | | APC | FCM | 500 µl | 21270046 | 99 | | |
| | | | PE/Dy647 | FCM | 500 µl | 21270047 | 99 | | |
| | | | PE/Dy747 | FCM | 500 µl | 21270047.7 | 99 | | |
| | | | Dy647 | FCM | 500 µl | 21270048 | 99 | | |

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € | |
|-------------|----------|----------|----------|--------------------------|--------------------------|--------------------------|--------------------------|----|
| CD5 | EDU-2 | IgG2a | purified | FCM, IP, IHC(f) | 100 µg | 21278041 | 99 | |
| | | | FITC | FCM | 500 µl | 21278043 | 99 | |
| | | | PE | FCM | 500 µl | 21278044 | 99 | |
| | | | PerCP | FCM | 500 µl | 21278045 | 99 | |
| | | | APC | FCM | 500 µl | 21278046 | 99 | |
| | | | PE/Dy647 | FCM | 500 µl | 21278047 | 99 | |
| | LT4 | IgG1 | purified | FCM | 100 µg | 21380041 | 99 | |
| | EM4 | IgG2a | purified | FCM | 100 µg | 21389041 | 99 | |
| | | | FITC | FCM | 500 µl | 21389043 | 99 | |
| | CD6 | MEM-32 | IgG1 | purified | FCM, IP, WB | 100 µg | 21270051 | 99 |
| | | | | Biotin | FCM, IP, WB | 50 µg | 21270052 | 99 |
| | | | | FITC | FCM | 500 µl | 21270053 | 99 |
| | | | | PE | FCM | 500 µl | 21270054 | 99 |
| | | CRIS1 | IgG2a | purified | FCM,IP, WB,IHC(f) | 100µg | 21279051 | 99 |
| FITC | | | | FCM | 500 µl | 21279053 | 99 | |
| PE | | | | FCM | 500µl | 21279054 | 99 | |
| APC | | | | FCM | 500 µl | 21279056 | 99 | |
| 1C12 | | IgG1 | FITC | FCM, IF | 500 µl | 21330053 | 99 | |
| | | | PE | FCM, IF | 500 µl | 21330054 | 99 | |
| LT1 | | IgG1 | purified | FCM, IP | 100 µg | 21380051 | 99 | |
| | | | FITC | FCM | 500 µl | 21380053 | 99 | |
| CD7 | | MEM-186 | IgG1 | purified | FCM, IP, WB | 100 µg | 21270071 | 99 |
| | | | | FITC | FCM, IP, WB | 500 µl | 21270073 | 99 |
| | PE | | | FCM | 500 µl | 21270074 | 99 | |
| | APC | | | FCM | 500 µl | 21270076 | 99 | |
| LT7 | IgG2a | purified | FCM, IP | 100 µg | 21380071 | 99 | | |
| | | FITC | FCM | 500 µl | 21380073 | 99 | | |
| CD8 | MEM-87 | IgG1 | purified | FCM, IP | 100 µg | 21279081 | 99 | |
| | | | | | | | | |
| | MEM-31 | IgG2a | purified | func.application | 100 µg | 21270080 | 99 | |
| | | | purified | FCM, IP | 100 µg | 21270081 | 99 | |
| | | | Biotin | FCM | 50 µg | 21270082 | 99 | |
| | | | FITC | FCM | 500 µl | 21270083 | 99 | |
| | | | PE | FCM | 500 µl | 21270084 | 99 | |
| | | | APC | FCM | 500 µl | 21270086 | 99 | |
| | PE/Dy647 | FCM | 500 µl | 21270087 | 99 | | | |
| | LT8 | IgG1 | purified | FCM, IP, IHC(f) | 100 µg | 21380081 | 99 | |
| FITC | | | FCM | 500 µl | 21380083 | 99 | | |

FCM= Flow Cytometry IHC= Immunohistochemistry (f=frozen, p=parafin)
 IF= Immunofluorescence IP= Immunoprecipitation WB= Westernblotting

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|--------------|---------|---------|----------|--------------------|--------------------------|----------------------------|--------|
| CD9 | MEM-61 | IgG1 | purified | func.application | 100 µg | 21270090 | 99 |
| | | | purified | FCM, IP, WB | 100 µg | 21270091 | 99 |
| | | | FITC | FCM | 500 µl | 21270093 | 99 |
| | | | PE | FCM | 500 µl | 21270094 | 99 |
| | | | APC | FCM | 500 µl | 21270096 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270097 | 99 |
| | | | 4E1 | IgG2a | FITC | FCM | 500 µl |
| CD10 | MEM-78 | IgG1 | purified | FCM, IP, WB | 100 µg | 21270101 | 99 |
| | | | Biotin | FCM, IP | 50 µg | 21270102 | 99 |
| | | | FITC | FCM | 500 µl | 21270103 | 99 |
| | | | PE | FCM | 500 µl | 21270104 | 99 |
| | | | APC | FCM | 500 µl | 21270106 | 99 |
| | | | PE/Dy590 | FCM | 500 µl | 21270107.5 | 99 |
| | | | LT10 | IgG1 | FITC | FCM | 500 µl |
| 4F9 | IgG2a | PE | FCM | 500 µl | 21330103 | 99 | |
| | | PE | FCM, IF | 500 µl | 21330104 | 99 | |
| | | APC | FCM | 500 µl | 21279106 | 99 | |
| CD11a | MEM-25 | IgG1 | purified | func.application | 100 µg | 21270110 | 99 |
| | | | purified | FCM, IP | 100 µg | 21270111 | 99 |
| | | | Biotin | FCM, IP | 50 µg | 21270112 | 99 |
| | | | FITC | FCM | 500 µl | 21270113 | 99 |
| | | | PE | FCM | 500 µl | 21270114 | 99 |
| | | | APC | FCM | 500 µl | 21270116 | 99 |
| | | | DE4 | IgG2a | purified | FCM, IP | 100 µg |
| CD11b | MEM-174 | IgG2a | purified | func.application | 100 µg | 21279110 | 99 |
| | | | purified | FCM, IP | 100 µg | 21279111 | 99 |
| | | | Biotin | FCM, IP | 50 µg | 21279112 | 99 |
| | | | FITC | FCM | 500 µl | 21279113 | 99 |
| | | | PE | FCM | 500 µl | 21279114 | 99 |
| | | | LT11 | IgG1 | purified | FCM | 100 µg |
| CD11c | BU15 | IgG1 | FITC | FCM | 500 µl | 21487113 | 99 |
| | | | PE | FCM | 500 µl | 21487114 | 99 |
| | | | APC | FCM | 500 µl | 21487116 | 99 |
| | | | purified | FCM, IP, IHC(f) | 100 µg | 21487111 | 99 |
| CD13 | WM15 | IgG1 | purified | func.application | 100 µg | 21270130 | 99 |
| | | | purified | FCM, IP, WB, ELISA | 100 µg | 21270131 | 99 |
| | | | FITC | FCM | 500 µl | 21270133 | 99 |
| | | | PE | FCM | 500 µl | 21270134 | 99 |
| | | | APC | FCM | 500 µl | 21270136 | 99 |
| | | | | | | | |

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|--------------|---------|----------|--------------------|--------------------|--------------------------|----------------------------|--------|
| | Q20 | IgG2a | FITC | FCM, IF | 500 µl | 21330133 | 99 |
| | | | PE | FCM, IF | 500 µl | 21330134 | 99 |
| CD14 | MEM-15 | IgG1 | purified | func.application | 100 µg | 21279140 | 99 |
| | | | purified | FCM, IP | 100 µg | 21279141 | 99 |
| | | | FITC | FCM | 500 µl | 21279143 | 99 |
| | | | PE | FCM | 500 µl | 21279144 | 99 |
| | | | APC | FCM | 500 µl | 21279146 | 99 |
| | | | PE/Dy590 | FCM | 500 µl | 21279147.5 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21279147 | 99 |
| | MEM-18 | IgG1 | purified | func.application | 100 µg | 21270140 | 99 |
| | | | purified | FCM, IP, WB, ELISA | 100 µg | 21270141 | 99 |
| | | | FITC | FCM | 500 µl | 21270143 | 99 |
| PE | | | FCM | 500 µl | 21270144 | 99 | |
| APC | | | FCM | 500 µl | 21270146 | 99 | |
| 18D11 | IgG1 | purified | func, IF, IHC(f,p) | 100 µg | 21620140 | 99 | |
| | | purified | FCM | 100 µg | 21620141 | 99 | |
| | | FITC | FCM | 500 µl | 21620143 | 99 | |
| | | PE | FCM | 500 µl | 21620144 | 99 | |
| | | APC | FCM | 500 µl | 21620146 | 99 | |
| CD15 | MEM-158 | IgM | purified | FCM, IP | 100 µg | 21270151 | 99 |
| | | | FITC | FCM | 500 µl | 21270153 | 99 |
| | | | PE | FCM | 500 µl | 21270154 | 99 |
| | B4 | IgM | FITC | FCM, IF | 500µl | 21330153 | 99 |
| CD16 | LNK16 | IgG1 | purified | FCM, IP | 100 µg | 21279161 | 99 |
| | | | FITC | FCM | 500 µl | 21279163 | 99 |
| | | | PE | FCM | 500 µl | 21279164 | 99 |
| | | | PerCP | FCM | 500 µl | 21279165 | 99 |
| | | | APC | FCM | 500 µl | 21279166 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21279167 | 99 |
| | | | 5D2 | IgG2a | purified | FCM, IP | 100 µg |
| FITC | FCM, IF | 500 µl | | | 21330163 | 99 | |
| PE | FCM, IF | 500 µl | | | 21330164 | 99 | |
| CD16b | MEM-154 | IgG1 | purified | FCM, IP, WB | 500 µl | 21270161 | 99 |
| | | | FITC | FCM | 500 µl | 21270163 | 99 |
| | | | PE | FCM | 500 µl | 21270164 | 99 |
| 5D7 | IgG2a | purified | FCM | 100 µg | 21339161 | 99 | |
| CD17 | MEM-74 | IgM | purified | FCM | 100 µg | 21270171 | 99 |

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|-------------|----------|---------|----------|--------------------------|-------------|----------------------------|--------------------------|
| CD18 | MEM-48 | IgG1 | purified | func.application | 100 µg | 21270180 | 99 |
| | | | purified | FCM, IF, IHC, IP, | 100 µg | 21270181 | 99 |
| | | | Biotin | WB | 50 µg | 21270182 | 99 |
| | | | FITC | FCM | 500 µl | 21270183 | 99 |
| | | | PE | FCM | 500 µl | 21270184 | 99 |
| | | | APC | FCM | 500 µl | 21270186 | 99 |
| | MEM-148 | IgG1 | purified | func.application | 100 µg | 21279180 | 99 |
| | | | purified | FCM, IP, WB | 100 µg | 21279181 | 99 |
| | | | FITC | FCM | 500 µl | 21279183 | 99 |
| | | | PE | FCM | 500 µl | 21279184 | 99 |
| | | | APC | FCM | 500 µl | 21279186 | 99 |
| CD19 | LT19 | IgG1 | purified | FCM, IP | 100 µg | 21270191 | 99 |
| | | | Biotin | FCM, IP | 50 µg | 21270192 | 99 |
| | | | FITC | FCM | 500 µl | 21270193 | 99 |
| | | | PE | FCM | 500 µl | 21270194 | 99 |
| | | | APC | FCM | 500 µl | 21270196 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270197 | 99 |
| | 11G1 | IgG1 | FITC | FCM | 500 µl | 21330193 | 99 |
| CD20 | MEM-97 | IgG1 | purified | func.application | 100 µg | 21270200 | 99 |
| | | | purified | FCM, IP | 100 µg | 21270201 | 99 |
| | LT20 | IgG2a | Biotin | FCM | 50 µg | 21279202 | 99 |
| | | | FITC | FCM | 500 µl | 21279203 | 99 |
| | | | PE | FCM | 500 µl | 21279204 | 99 |
| | | | PerCP | FCM | 500 µl | 21279205 | 99 |
| | | | APC | FCM | 500 µl | 21279206 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21279207 | 99 |
| | | | PE/Dy747 | FCM | 500 µl | 21279207.7 | 99 |
| | | | purified | FCM | 100 µg | 21380201 | 99 |
| CD21 | LT21 | IgG1 | purified | FCM | 100 µg | 21270211 | 99 |
| | | | FITC | FCM | 500 µl | 21270213 | 99 |
| | | | PE | FCM | 500 µl | 21270214 | 99 |
| | | | APC | FCM | 500 µl | 21270216 | 99 |
| | | BU32 | IgG2a | purified | FCM, IP, IF | 100 µg | 21480211 |
| CD22 | MEM-01 | IgG1 | purified | FCM, IP, WB | 100 µg | 21270221 | 99 |
| | | | Biotin | FCM, IP, WB | 50 µg | 21270222 | 99 |
| | | | FITC | FCM | 500 µl | 21270223 | 99 |
| | | | PE | FCM | 500 µl | 21270224 | 99 |
| | | | APC | FCM | 500 µl | 21270226 | 99 |
| | PE/DY647 | FCM | 500 µl | 21270227 | 99 | | |
| | LT22 | IgG2a | purified | FCM,IP | 100 µg | 21380221 | 99 |
| CD23 | LT-4F1 | IgG1 | purified | func.application | 100 µg | 21270230 | 99 |
| | | | purified | FCM | 100 µg | 21270231 | 99 |

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|-------------|----------|---------|----------|------------------|--------|----------------------------|----|
| | LT23 | | Purified | FCM | 100µg | 21380231 | 99 |
| | Tü1 | IgG3 | FITC | FCM, IF | 500 µl | 21330233 | 99 |
| CD24 | SN3 | IgG1 | purified | FCM, IHC(f) | 100 µg | 21270241 | 99 |
| | | | FITC | FCM | 500 µl | 21270243 | 99 |
| | | | PE | FCM | 500 µl | 21270244 | 99 |
| | IB5 | IgG1 | FITC | FCM, IF | 500 µl | 21330243 | 99 |
| | MEM-140 | IgM | purified | FCM, IP | 100 µg | 21279251 | 99 |
| CD25 | MEM-181 | IgG1 | purified | FCM | 100 µg | 21270251 | 99 |
| | | | Biotin | FCM | 50 µg | 21270252 | 99 |
| | | | FITC | FCM | 500 µl | 21270253 | 99 |
| | | | PE | FCM | 500 µl | 21270254 | 99 |
| | | | APC | FCM | 500 µl | 21270256 | 99 |
| | | | PE/Dy647 | Fcm | 500 µl | 21270257 | 99 |
| | | | Dy647 | FCM | 500 µl | 21270258 | 99 |
| | TB-30 | IgG2b | FITC | FCM, IF | 500 µl | 21330253 | 99 |
| | | | PE | FCM, IF | 500 µl | 21330254 | 99 |
| CD26 | 22C3 | IgG1 | purified | FCM, IF | 100 µg | 21330261 | 99 |
| CD27 | LT27 | IgG2a | purified | FCM | 100 µg | 21270271 | 99 |
| | | | FITC | FCM | 500 µl | 21270273 | 99 |
| | | | PE | FCM | 500 µl | 21270274 | 99 |
| | | | APC | FCM | 500 µl | 21270276 | 99 |
| | | | PE/Dy590 | FCM | 500 µl | 21270277.5 | 99 |
| | 9F4 | IgG2a | FITC | FCM, IF | 500 µl | 21330273 | 99 |
| CD28 | 15E8 | IgG1 | purified | func.application | 100 µg | 21330280 | 99 |
| | | | purified | FCM, IF | 100 µg | 21330281 | 99 |
| | KOLT-2 | IgG1 | FITC | FCM, IF | 500 µl | 21330283 | 99 |
| CD29 | MEM-101A | IgG1 | purified | FCM, IP, WB | 100 µg | 21270291 | 99 |
| | | | FITC | FCM | 500 µl | 21270293 | 99 |
| | | | PE | FCM | 500 µl | 21270294 | 99 |
| | | | APC | FCM | 500 µl | 21270296 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270297 | 99 |
| | 2A4 | IgG1 | FITC | FCM, IF | 500 µl | 21330293 | 99 |
| CD30 | MEM-268 | IgG | purified | FCM | 100 µg | 21270301 | 99 |
| | | | FITC | FCM | 500 µl | 21270303 | 99 |
| | | | PE | FCM | 500 µl | 21270304 | 99 |
| | | | APC | FCM | 500 µ | 21270306 | 99 |
| | HSR-4 | IgG1 | purified | FCM, IF, IHC, IP | 100 µg | 21330301 | 99 |

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|-------------|-----------|---------|----------|---------------------|--------|----------------------------|--------|
| CD31 | MEM-05 | IgG1 | purified | func.application | 100 µg | 21270310 | 99 |
| | | | purified | FCM, WB | 100 µg | 21270311 | 99 |
| | | | FITC | FCM | 500 µl | 21270313 | 99 |
| | | | PE | FCM | 500 µl | 21270314 | 99 |
| | | | APC | FCM | 500 µl | 21270316 | 99 |
| | | | PE/Dy590 | FCM | 500 µl | 21270317.5 | 99 |
| | | | HEC75 | IgG1 | FITC | FCM, IF | 500 µl |
| CD32 | CIKm5 | IgG1 | purified | FCM | 100 µg | 21330321 | 99 |
| CD33 | HIM3-4 | IgG1 | purified | FCM | 100 µg | 21270331 | 99 |
| | | | FITC | FCM | 500 µl | 21270333 | 99 |
| | | | PE | FCM | 500 µl | 21270334 | 99 |
| | | | APC | FCM | 500 µl | 21270336 | 99 |
| CD33 | MD33.6 | IgG1 | purified | FCM, IF | 100 µg | 21330331 | 99 |
| | | | FITC | FCM | 500 µl | 21330333 | 99 |
| | | | PE | FCM, IF | 500 µl | 21330334 | 99 |
| | QBEND10 | IgG1 | FITC | FCM, IF | 500 µl | 21330343 | 99 |
| CD34 | 4H11[APG] | IgG1 | purified | func.application | 100 µg | 21270340 | 99 |
| | | | purified | FCM, WB | 100 µg | 21270341 | 99 |
| | | | Biotin | FCM | 50 µg | 21270342 | 99 |
| | | | FITC | FCM | 500 µl | 21270343 | 99 |
| | | | PE | FCM | 500 µl | 21270344 | 99 |
| | | | APC | FCM | 500 µl | 21270346 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270347 | 99 |
| CD34 | - 581 - | IgG1 | APC | FCM, IF, IHC(p) | 500 µl | 21620346 | 99 |
| | | | PE | FCM | 500 µl | 21330344 | 99 |
| CD35 | UJ11 | IgG1 | purified | FCM,IHC,IP,IF,ELISA | 100 µg | 21220351 | 99 |
| | | | FITC | FCM | 500 µl | 21220353 | 99 |
| CD36 | TR9 | IgG1 | purified | FCM | 100 µg | 21270361 | 99 |
| | | | FITC | FCM | 500 µl | 21270363 | 99 |
| | | | PE | FCM | 500 µl | 21270364 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270367 | 99 |
| CD36 | IVC7 | IgG1 | purified | FCM, IF | 100 µg | 21330361 | 99 |
| | | | FITC | FCM, IF | 500 µl | 21330363 | 99 |
| CD37 | HH1 | IgG1 | purified | FCM | 100 µg | 21620371 | 99 |
| | | | PE | FCM | 500 µl | 21620374 | 99 |
| | | | APC | FCM | 500 µl | 21620376 | 99 |
| | NMN46 | IgG2a | FITC | FCM | 500 µl | 21330373 | 99 |
| CD38 | HIT2 | IgG1 | purified | FCM, WB, IF, IHC | 100 µg | 21270381 | 99 |
| | | | FITC | FCM | 500 µl | 21270383 | 99 |
| | | | PE | FCM | 500 µl | 21270384 | 99 |

FCM= Flow Cytometry IHC= Immunohistochemistry (f=frozen, p=parafin)
 IF= Immunofluorescence IP= Immunoprecipitation WB= Westernblotting

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|--------------|--------|---------|----------|----------------------|--------|----------------------------|---------|
| | | | APC | FCM | 500 µl | 21270386 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270387 | 99 |
| | | | PE/Dy747 | FCM | 500 µl | 21270387.7 | 99 |
| CD40 | HI40a | IgG1 | purified | FCM | 100 µg | 21270400 | 99 |
| | | | purified | FCM | 100 µg | 21270401 | 99 |
| | | | FITC | FCM | 500 µl | 21270403 | 99 |
| | | | PE | FCM | 500 µl | 21270404 | 99 |
| | | | APC | FCM | 500 µl | 21270406 | 99 |
| | 14G7 | IgM | purified | FCM, IF | 100 µg | 21330401 | 99 |
| CD41 | MEM-06 | IgG1 | purified | FCM | 100 µg | 21270411 | 99 |
| | | | FITC | FCM | 500 µl | 21270413 | 99 |
| | | | PE | FCM | 500 µl | 21270414 | 99 |
| | | | APC | FCM | 500 µl | 21270416 | 99 |
| CD41a | 6C9 | IgG1 | FITC | FCM, IF | 500 µl | 21330413 | 99 |
| | DD4.1 | IgG1 | PE | FCM, IF | 500 µl | 21330414 | 99 |
| CD42b | HIP1 | IgG1 | purified | func.application | 100 µg | 21270420 | 99 |
| | | | purified | FCM, IF, IHC | 100 µg | 21270421 | 99 |
| | MB45 | IgG1 | FITC | FCM, IF | 500 µl | 21330423 | 99 |
| | | | PE | FCM, IF | 500 µl | 21330424 | 99 |
| CD42d | SW16 | IgG1 | purified | FCM, IF | 100 µg | 21338421 | 99 |
| CD43 | MEM-59 | IgG1 | purified | func.application | 100 µg | 21270430 | 99 |
| | | | purified | FCM, IF, IHC, IP, WB | 100 µg | 21270431 | 99 |
| | | | FITC | FCM | 500 µl | 21270433 | 99 |
| | | | PE | FCM | 500 µl | 21270434 | 99 |
| | | | APC | FCM | 500 µl | 21270436 | 99 |
| | DFT1 | IgG1 | FITC | FCM, IF | 500 µl | 21330433 | 99 |
| CD44 | MEM-85 | IgG2b | purified | FCM, IP, ELISA | 100 µg | 21270441 | 99 |
| | | | FITC | FCM | 500 µl | 21270443 | 99 |
| | | | PE | FCM | 500 µl | 21270444 | 99 |
| | | | APC | FCM | 500 µl | 21270446 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270447 | 99 |
| | NKI-P2 | IgG1 | FITC | FCM, IF | 500 µl | 21330443 | 99 |
| CD45 | MEM-28 | IgG1 | purified | func.application | 100 µg | 21270450 | 99 |
| | | | purified | FCM, IP, WB, IF, IHC | 100 µg | 21270451 | 99 |
| | | | FITC | FCM, IF, IHC | 500 µl | 21270453 | 99 |
| | | | PE | FCM, IF | 500 µl | 21270454 | 99 |
| | | | APC | FCM | 500 µl | 21270456 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270457 | 99 |
| | | | | 15D9 | IgG1 | FITC | FCM, IF |
| | | | PE | FCM, IF | 500 µl | 21330454 | 99 |

FCM= Flow Cytometry IHC= Immunohistochemistry (f=frozen, p=parafin)
 IF= Immunofluorescence IP= Immunoprecipitation WB= Westernblotting

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|---------------|-----------|----------|----------|---------------------|--------------------------|--------------------------|----|
| CD45RA | LT45 | IgG1 | purified | FCM, IP | 100 µg | 21380451 | 99 |
| | | | PerCP | FCM | 500 µl | 21380455 | 99 |
| | MEM-56 | IgG2b | purified | FCM, IP, WB, IF,IHC | 100 µg | 21279451 | 99 |
| | | | Biotin | FCM, IP, WB, IF,IHC | 50 µg | 21279452 | 99 |
| | | | FITC | FCM | 500 µl | 21279453 | 99 |
| | | | PE | FCM | 500 µl | 21279454 | 99 |
| | | | APC | FCM | 500 µl | 21279456 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21279457 | 99 |
| | F8-11-13 | IgG1 | FITC | FCM, IF | 500 µl | 21339453 | 99 |
| | | | PE | FCM | 500 µl | 21339454 | 99 |
| T6D11 | IgG2b | purified | FCM, IP | 100 µg | 21389451 | 99 | |
| CD45RB | MEM-55 | IgG1 | purified | FCM, IP, WB, IF,IHC | 100 µg | 21278451 | 99 |
| | | | FITC | FCM | 500 µl | 21278453 | 99 |
| | | | PE | FCM | 500 µl | 21278454 | 99 |
| | | | APC | FCM | 500 µl | 21278456 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21278457 | 99 |
| CD45RO | UCHL1 | IgG2a | purified | FCM, IF | 100 µg | 21336451 | 99 |
| | | | FITC | FCM, IF | 500 µl | 21336453 | 99 |
| CD46 | MEM-258 | IgG1 | purified | funct.appl. | 100 µg | 21270460 | 99 |
| | | | purified | FCM, IP, WB | 100 µg | 21270461 | 99 |
| | | | Biotin | FCM, IP, WB | 50 µg | 21270462 | 99 |
| | | | FITC | FCM | 500 µl | 21270463 | 99 |
| | | | PE | FCM | 500 µl | 21270464 | 99 |
| | | | APC | FCM | 500 µl | 21270466 | 99 |
| CD47 | MEM-122 | IgM | purified | FCM, WB, IF, IHC | 100 µg | 21270471 | 99 |
| | | | FITC | FCM | 500 µl | 21270473 | 99 |
| CD48 | MEM-102 | IgG1 | purified | FCM, IP, WB, IF,IHC | 100 µg | 21270481 | 99 |
| | | | FITC | FCM | 500 µl | 21270483 | 99 |
| | | | PE | FCM | 500 µl | 21270484 | 99 |
| | | | APC | FCM | 500 µl | 21270486 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270487 | 99 |
| CD49b | 10G11 | IgG1 | FITC | FCM, IF | 500 µl | 21339493 | 99 |
| CD49d | BU49 | IgG1 | purified | FCM, IF, IP | 100 µg | 21488491 | 99 |
| | | | Biotin | FCM, IF, IP | 50 µg | 21488492 | 99 |
| | | | FITC | FCM, IF, IP | 500 µl | 21488493 | 99 |
| | | | PE | FCM, IF, IP | 500 µl | 21488494 | 99 |
| CD49e | NKI-SAM-1 | IgG2b | purified | FCM, IF | 100 µg | 21336491 | 99 |
| CD49f | NKI-GoH3 | IgG2a | purified | FCM, IF | 100 µg | 21335491 | 99 |
| | | | FITC | FCM | 500 µl | 21335493 | 99 |
| CD50 | MEM-171 | IgG1 | purified | FCM, IP | 100 µg | 21270501 | 99 |

FCM= Flow Cytometry IHC= Immunohistochemistry (f=frozen, p=parafin)
 IF= Immunofluorescence IP= Immunoprecipitation WB= Westernblotting

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|-------------|----------|---------|----------|----------------------|--------|--------------------------|----|
| | | | FITC | FCM | 500 µl | 21270503 | 99 |
| | | | PE | FCM | 500 µl | 21270504 | 99 |
| | | | APC | FCM | 500 µl | 21270506 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270507 | 99 |
| CD51 | NKI-M9 | IgG1 | purified | FCM | 100 µg | 21330511 | 99 |
| CD52 | HI186 | IgG2b | purified | FCM, IP | 100 µg | 21270521 | 99 |
| | | | FITC | FCM | 500 µl | 21270523 | 99 |
| | | | PE | FCM | 500 µl | 21270524 | 99 |
| | | | APC | FCM | 500 µl | 21270526 | 99 |
| CD53 | MEM-53 | IgG1 | purified | func.application | 100 µg | 21270530 | 99 |
| | | | purified | FCM, IP, WB, IF,IHC | 100 µg | 21270531 | 99 |
| | | | FITC | FCM | 500 µl | 21270533 | 99 |
| | MEM-111 | IgG2a | purified | FCM, IP, WB, ELISA | 100 µg | 21270541 | 99 |
| CD54 | 1H4 | IgG2b | purified | FCM, WB, IHC(f,p) | 100 µg | 21279541 | 99 |
| | | | FITC | FCM | 500 µl | 21279543 | 99 |
| | | | PE | FCM | 500 µl | 21279544 | 99 |
| | | | APC | FCM | 500 µl | 21279546 | 99 |
| | | | PE/Dy647 | FCM | 500µl | 21279547 | 99 |
| | 15.2 | IgG1 | FITC | FCM, IF | 500 µl | 21330543 | 99 |
| CD55 | MEM-118 | IgM | purified | FCM, IP | 100 µl | 21270551 | 99 |
| | | | FITC | FCM | 500 µl | 21270553 | 99 |
| | BRIC 110 | IgG1 | FITC | FCM, IP | 500 µl | 21330553 | 99 |
| CD56 | MEM-188 | IgG2a | purified | FCM, IP, WB, IF, IHC | 100 µg | 21270561 | 99 |
| | | | FITC | FCM | 500 µl | 21270563 | 99 |
| | | | PE | FCM | 500 µl | 21270564 | 99 |
| | | | APC | FCM | 500 µl | 21270566 | 99 |
| | B159 | IgG1 | PE | FCM, IP | 500 µl | 21330564 | 99 |
| CD57 | NC1 | IgM | purified | FCM, IF | 100 µg | 21330571 | 99 |
| | | | FITC | FCM | 500 µl | 21330573 | 99 |
| CD58 | MEM-63 | IgG1 | purified | funct. appl. | 100 µg | 21270580 | 99 |
| | | | purified | FCM, IP, WB | 100 µg | 21270581 | 99 |
| | | | FITC | FCM | 500 µl | 21270583 | 99 |
| | | | PE | FCM | 500 µl | 21270584 | 99 |
| CD59 | MEM-43 | IgG2a | purified | func.application | 100 µg | 21270590 | 99 |
| | | | purified | FCM, IP, WB | 100 µg | 21270591 | 99 |
| | | | Biotin | FCM, IP | 50 µg | 21270592 | 99 |
| | | | FITC | FCM | 500 µl | 21270593 | 99 |
| | | | PE | FCM | 500 µl | 21270594 | 99 |
| | | | APC | FCM | 500 µl | 21270596 | 99 |
| | | | PE/Dy647 | FCM | 500 µl | 21270597 | 99 |

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|-------------------|----------|---------|--|---|---|--|----------------------------------|
| CD59 | MEM-43/5 | IgG2b | purified | FCM, IP, WB | 100 µg | 21279591 | 99 |
| CD61 | C17 | IgG1 | purified FITC | FCM, IF FCM, IF | 100 µg 500 µl | 21330611 21330613 | 99 99 |
| CD62L | LT-TD180 | IgG1 | purified FITC PE APC | FCM FCM FCM FCM | 100µg 500 µl 500 µl 500 µl | 21279621 21279623 21279624 21279626 | 99 99 99 99 |
| CD62P | HI62P | IgG1 | purified PE APC PE/Dy647 | FCM, WB FCM FCM FCM | 100 µg 500 µl 500 µl 500 µl | 21270621 21270624 21270626 21270627 | 99 99 99 99 |
| CD62P | C2 | IgG1 | purified PE | FCM, IF FCM, IF | 100 µg 500 µl | 21330621 21330624 | 99 99 |
| CD62P | AK6 | IgG1 | FITC | FCM, IF | 500 µl | 21330623 | 99 |
| CD63 | MEM-259 | IgG1 | purified FITC PE APC PE/Dy647 | FCM, IP, WB FCM, IP, WB FCM FCM FCM | 100 µg 500 µl 500 µl 500 µl 500 µl | 21270631 21270633 21270634 21270636 21270637 | 99 99 99 99 99 |
| CD63 | 435 | IgG1 | PE | FCM, IF | 500 µl | 21330634 | 99 |
| CD64 | 10;1 | IgG1 | purified | FCM, IF | 100 µg | 21330641 | 99 |
| CD65 | 88H7 | IgM | FITC | FCM, IF | 500 µl | 21330653 | 99 |
| CD66b | B13.9 | IgG1 | purified FITC | FCM, IF FCM, IF | 100 µg 500 µl | 21339661 21339663 | 99 99 |
| CD66acde | IH4Fc | IgG1 | purified FITC PE | FCM, IF FCM, IF FCM, IF | 100 µg 500 µl 500 µl | 21330661 21330663 21330664 | 99 99 99 |
| CD66e(CEA) | CB30 | IgG1 | purified | FCM, IP, IHC(p/f) | 100 µg | 21278661 | 99 |
| CD69 | FN50 | IgG1k | purified FITC PE APC PE/Dy647 Dy647 | FCM FCM FCM FCM FCM FCM | 100 µg 500 µ 500 µl 500 µl 500 µl 500 µl | 21620691 21620693 21620694 21620696 21620697 21620698 | 99 99 99 99 99 99 |
| CD69 | TP1.55.3 | IgG2b | PE | FCM, IF | 500 µl | 21330694 | 99 |
| CD70 | 2F2 | IgG1 | purified | FCM, IF | 100 µg | 21330701 | 99 |

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|--------------|---------|---------|----------|--------------------|--------------------------|--------------------------|--------|
| CD71 | MEM-75 | IgG1 | purified | FCM, IP | 100 µg | 21270711 | 99 |
| | | | FITC | FCM | 500 µl | 21270713 | 99 |
| | | | PE | FCM | 500 µl | 21270714 | 99 |
| | | | APC | FCM | 500 µl | 21270716 | 99 |
| | | | PE/Dy647 | FCM | 500µl | 21270717 | 99 |
| | | | RVS10 | IgG1 | FITC | FCM, IF | 500 µl |
| PE | FCM, IF | 500 µl | | | 21330714 | 99 | |
| CD72 | 3F3 | IgG2b | purified | FCM, IP | 100 µg | 21270721 | 99 |
| | | | FITC | FCM | 500 µl | 21270723 | 99 |
| | | | PE | FCM | 500 µl | 21270724 | 99 |
| | BU40 | IgG2a | purified | FCM, IP, IF/IHC(f) | 100 µg | 21480721 | 99 |
| | | | FITC | FCM | 500 µl | 21480723 | 99 |
| CD74 | BU45 | IgG1 | purified | FCM, IF, IHC(p) | 100 µg | 21480741 | 99 |
| | | | FITC | FCM | 500 µl | 21480743 | 99 |
| CD79a | HM57 | IgG1 | purified | FCM, IHC(f/p) | 100 µg | 21270791 | 99 |
| CD80 | MEM-233 | IgG1 | purified | func.application | 100 µg | 21270800 | 99 |
| | | | purified | FCM, IP, WB | 100 µg | 21270801 | 99 |
| | | | FITC | FCM | 500 µl | 21270803 | 99 |
| | | | APC | FCM | 500 µl | 21270806 | 99 |
| CD86 | BU63 | IgG1 | purified | func.application | 100 µg | 21480860 | 99 |
| | | | purified | FCM,IP, IHC(f), WB | 100 µg | 21480861 | 99 |
| | | | FITC | FCM | 500 µl | 21480863 | 99 |
| CD95 | UT-1 | IgM | Purified | FCM | 100 µg | 21270951 | 99 |
| | LT95 | IgG1 | purified | FCM | 100 µg | 21278951 | |
| | | | FITC | FCM | 500 µl | 21278953 | 99 |
| | FAS18 | IgG2a | purified | FCM, IF | 100 µg | 21330951 | 99 |
| FAS19 | IgG1 | FITC | FCM, IF | 500 µl | 21338953 | 99 | |
| CD97 | MEM-180 | IgG1 | purified | FCM, IP | 100 µg | 21270971 | 99 |
| | | | FITC | FCM | 500 µl | 21270973 | 99 |
| CD98 | MEM-108 | IgG1 | purified | func.application | 100 µg | 21270980 | 99 |
| | | | purified | FCM, IP | 100 µg | 21270981 | 99 |
| | | | FITC | FCM | 500 µl | 21270983 | 99 |
| CD99R | MEM-131 | IgM | purified | FCM, IP, WB | 100 µg | 21270991 | 99 |
| | | | FITC | FCM | 500 µl | 21270993 | 99 |
| CD103 | 2G5 | IgG2a | purified | FCM, IP | 100 µg | 21331031 | 99 |
| | | | FITC | FCM, IF | 500 µl | 21331033 | 99 |

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|--|-----------|---------|----------|-------------------------|--------|--------------------------|----|
| CD105 | MEM-226 | IgG2a | purified | FCM, IP, WB | 100 µg | 21271051 | 99 |
| | | | FITC | FCM | 500 µl | 21271053 | 99 |
| | | | PE | FCM | 500 µl | 21271054 | 99 |
| | | | APC | FCM | 500 µl | 21271056 | 99 |
| | | | Dy647 | FCM | 500 µl | 21271058 | 99 |
| | MEM-229 | IgG2a | purified | FCM, WB | 100 µg | 26271051 | 99 |
| CD106 | STA | IgG1κ | purified | FCM, IF, IHC, IP, ELISA | 100µg | 21121061 | 99 |
| CD108 | MEM-150 | IgM | purified | FCM, IP, WB | 100 µg | 21271081 | 99 |
| | | | FITC | FCM | 500 µl | 21271083 | 99 |
| CD116 | 4H1 | IgG1κ | purified | FCM, IP, WB, IF, IHC | 100 µg | 21121161 | 99 |
| CD122 | MIK-beta1 | IgG2a | purified | FCM | 100 µg | 21331221 | 99 |
| | | | FITC | FCM, IF | 500 µl | 21331223 | 99 |
| CDw131 | 1C1 | IgG1κ | purified | FCM, IP, WB | 100 µg | 21121311 | 99 |
| CD138 | B-A38 | IgG1 | FITC | FCM | 500 µl | 21271383 | 99 |
| | 1D4 | IgG1 | purified | FCM, IF | 100 µg | 21331381 | 99 |
| | | | PE | FCM, IF | 500 µl | 21331384 | 99 |
| CD139 | BU30 | IgG1 | purified | FCM, IF, IHC(f), IP | 100 µg | 21481391 | 99 |
| | | | FITC | FCM | 500 µl | 21481393 | 99 |
| CD147 | MEM-M6/1 | IgG1 | purified | FCM, IP, WB | 100 µg | 21271471 | 99 |
| | | | FITC | FCM | 500 µl | 21271473 | 99 |
| | | | PE | FCM | 500 µl | 21271474 | 99 |
| | | | APC | FCM | 500 µl | 21271476 | 99 |
| CD162 | TB5 | IgG1 | purified | FCM | 100 µg | 21271621 | 99 |
| CD177 | MEM-166 | IgG1 | purified | FCM, IP, WB | 100 µg | 21271771 | 99 |
| | | | FITC | FCM | 500 µl | 21271773 | 99 |
| | | | PE | FCM | 500 µl | 21271774 | 99 |
| | | | APC | FCM | 500 µl | 21271776 | 99 |
| CD195 (C-C chemokine receptor5, CCR5) | 12D1 | IgG2a | purified | FCM | 100 µg | 21481951 | 99 |
| CD222 | MEM-238 | IgG1 | purified | FCM, WB | 100 µg | 21272221 | 99 |
| | | | FITC | FCM | 500 µl | 21272223 | 99 |
| | | | PE | FCM | 500 µl | 21272224 | 99 |
| | | | APC | FCM | 500 µl | 21272226 | 99 |
| CD235a | HIR2 | IgG2b | purified | FCM, IHC(f) | 100 µg | 21272351 | 99 |
| | | | FITC | FCM | 500 µl | 21272353 | 99 |
| | | | PE | FCM | 500 µl | 21272354 | 99 |

FCM= Flow Cytometry IHC= Immunohistochemistry (f=frozen, p=parafin)
 IF= Immunofluorescence IP= Immunoprecipitation WB= Westernblotting

Antibodies against human CD-antigens

small size: catn°+ S for 39 € – large size: catn°+ X2 for 199 €

| Specificity | Clone | Isotype | Format | Application | vol | Cat.No | € |
|-------------|-------|---------|----------|-------------|--------|--------------------------|----|
| | AME-1 | IgG1 | purified | FCM | 100 µg | 21332351 | 99 |
| | | | FITC | FCM, IF | 500 µl | 21332353 | 99 |
| | | | PE | FCM, IF | 500 µl | 21332354 | 99 |

Antibodies against human antigens:

ANCA, BDNF, Cox-1, dsDNA, Eotaxin-1, Factor H, Follicular Dendritic Cells, anti-FITC, GM-CSF, Granzyme A, Granzyme B, Granzyme K, HLA-ABC, HLA-Class I, HLA-Class II, HLA-DR, HLA-DR+DP, IgE, IFN alpha, IL-2, IL-6, IL-7, IL-15, IL-18, MCP-3, MIP-1 alpha, MPO, NT4, NTAL, p53, hu-PrP, Syk, tTG

Isotype Controls:

mouse IgG1 control, mouse IgG2a control, mouse IgG2b control, mouse IgG3 control, mouse IgM control, rat IgG2b control

IT-Box-systems:

several IT-Boxes with fluorescence conjugated antibodies each vial containing 100µl

Functional antibodies

Secondary antibodies

Streptavidine

Apoptose

Antibodies against mouse CDantigens and antigens

C3/C3b/iC3b, CD3, CD3e, CD3z(CD247), CD4, CD5, CD8, CD8a, CD11b, CD19, CD25, CD29, CD32/16, CD34, CD35/21, CD44, CD45, CD45R, CD45RB, CD45RC, CD49d, CD49f, CD55(DAF), CD59, CD62L, CD81(TAPA-1), CD86, CD90(THY1.1), CD117, CD134, CD247(CD3z), mCR1/2, dsDNA, Erythroid Cell, Gr-1, IL-2, IL-4, IL-10, IL-12p40, MHCII A-E, NK-cells, TCR α/β, TCR γ/δ

Antibodies against rat CDantigens and antigens

CD2, CD4, CD5, CD8a, CD8b, CD11a, CD11b/c, CD25, CD43, CD44, CD45, CD45RA/B, CD45RC, CD48, CD54, CD62L, CD71, CD90(THY1.1), CD152, CD161(NK-cells), CD172a, CD200, Dendritic Cells, dsDNA, Endothelium, Ig kappa chain, T-cells, TCR α/β, TCR γ/δ

Antibodies against bovine / porcine CDantigens

Special offers